

TECHNICAL-COMMERCIAL PRODUCT SHEET

Description

PULMICINDUSTRIAL 35

Ref.16863

Definition:

Electric sprayer for applying industrial products (disinfection, vector control, and cleaning) with a quick-connect nozzle system.

Tariff item: 84244100

EAN: 8435128256053



Product photo



Sistema de autolimpieza de bomba mediante circuito independiente. Permite hacer el mantenimiento interno sin vaciar el depósito principal.







INCLUDES



Product specs

Tank	Filters	Filler neck, Handle and 1 absorption at the bottom of the tank
	Color	Black and white
	Material	Polypropylene
	Filling mouth diameter	13 cm
	Capacity	35 L
	Carrying handle	Yes, foldable
Pump	Compression and drive system	Electric by diaphragm pump/DC motor with brushes
	Caudal	See table according to nozzles (page 3)
	Pressure	See table according to nozzles (page 3)
	Cleaning valve	2 positions: spraying and cleaning the circuit
Control unit	3-speed system	
Membrane	From Santoprene	
Hose	Material	PVC with reinforcing mesh
	Length	6 m
Handle	Material	Polypropylene / Viton
	Length	15 cm
Lance	Material	Stainless steel
	Length	42.5 cm
Nozzles	Adjustable industrial nozzle	
	Red industrial nozzle 0°	
	Green industrial nozzle 25°	
	White industrial nozzle 40°	
Battery/Charger	Battery 2 units	
	Lithium-ion LiCoO ₂ 18V 2600mAh	
	Charger (European connector)	Input: 100/240V, 50/60 Hz, 0.5A Output: 21V DC 1A
	Temperature range	5-40 °C
	Gross weight	0.385 kg
	Net weight	0.410 kg
	Autonomy	See table according to nozzles (page 3)
Auto-clean system	Yes, with a dedicated flushing line	
Attached documentation	Instruction manual	

Nozzles

Boquilla Nozzle Buse Bico Ugello Dysza Сопло فوهة	Velocidad Speed Vitesse Velocidade Velocità Prędkość Скорость سرعة	Presión Pressure Pression Pressão Pressione Ciśnienie Давление ضغط		Ángulo Angle Angle Ángulo Angolo Kąt Угол زاوية	Caudal Flow Débit Fluxo Flusso Przepływ Поток تدفق		Capacidad/batería Capacity/battery Capacité/batterie Capacidade/bateria Capacità/batteria pojemność/baterię Емкость/аккумулятор السعة / البطارية		Autonomía total Total autonomy Autonomie totale Autonomia total Autonomia totale Całkowita autonomia Полная автономия الحكم الذاتي الكامل
		bar Бар	psi Пси		L/min л/мин	gpm гал/мин	L л	gal гал	
								min. Мин.	
	1	2,5	36	25°	1,95	0,51	351	91	180
	2	3,5	51	25°	2,20	0,58	248	65	113
	3	4,5	65	25°	2,60	0,68	234	61	90
	1	4,5	65	0°	1,50	0,39	192	49	128
	2	6,5	94	0°	1,85	0,48	166	43	90
	3	7	102	0°	2,00	0,52	166	43	83
	1	2,35	34	max. 70°	2,00	0,52	360	93	180
	2	3,4	49	max. 70°	2,55	0,67	288	75	113
	3	3,6	52	max. 70°	2,65	0,70	238	63	90
	1	2,5	36	40°	1,95	0,51	351	91	180
	2	3,5	51	40°	2,20	0,58	248	65	113
	3	4,5	65	40°	2,60	0,68	234	61	90

Chemical compatibility



PRINCIPIO ACTIVO ACTIVE PRINCIPLE Matière principale	COMPUESTO ACTIVO ACTIVE COMPOUND Matière active	INDUSTRIAL 15 INDUSTRIAL 35
ÁCIDOS ACIDS Acides	ÁCIDO ACÉTICO / ACETIC ACID / ACIDE ACÉTIQUE (MAX 20%)	✗
	ÁCIDO CLORHÍDRICO / HYDROCHLORIC ACID / ACIDE CHLORHYDRIQUE (MAX 30%)	✗
	ÁCIDO FLUORHÍDRICO / HYDROFLUORIC ACID / ACIDE FLUORHYDRIQUE (MAX 20%)	✗
	ÁCIDO FOSFÓRICO / PHOSPHORIC ACID / ACIDE PHOSPHORIQUE	✗
	ÁCIDO NÍTRICO / NITRIC ACID / ACIDE NITRIQUE (MAX 20%)	✗
	ÁCIDO SULFÚRICO / SULPHURIC ACID / ACIDE SULFURIQUE (MAX 30%)	✗
	BISULFITO SÓDICO / SODIUM BISULPHATE / ACIDE SODIQUE (MAX 20%)	✗
	ÁCIDO OXÁLICO / OXALIC ACID / ACIDE OXALIQUE	✗
ALCOHOLES ALCOHOLS Alcools	BUTANOL / BUTANOL / BUTANOL	▲
	ETANOL / ETHANOL / ÉTHANOL	▲
	METANOL / METHANOL / MÉTANOL	▲
HIDROCARBUROS ALIFÁTICOS ALIPHATIC HYDROCARBONS Hydrocarbures aliphatiques	DECANO / DECANE / DÉCANE	▲
	HEPTANO / HEPTANE / HEPTANE	▲
	HEXANO / HEXANE / HEXANE	▲
	PENTANO / PENTANE / PENTANE	▲
HIDROCARBUROS AROMÁTICOS AROMATIC HYDROCARBONS Hydrocarbures aromatiques	LIMONENO (DIPTENO) / LIMONENE (DIPTENE) / LIMONÈNE	▲
	NAFTALENO / NAPHTHALENE / NAPHTALÈNE	▲
	TOLUENO / TOLUENE / TOLUÈNE (MAX 40%)	▲
	XILENO / XYLENE / XYLÈNE	▲
ACEITES Y DERIVADOS PETRÓLEO OILS & PETROLEUM PRODUCTS Huiles et Dérivés Pétrole	ACEITE MINERAL-VEGETAL / MINERAL-VEGETAL OIL / HUILE MINÉRALE-VÉGÉTALE	✓
	GASOIL / DIESEL / GASOIL	✓
	GASOLINA / GASOLINE / ESSENCE	✓
	QUEROSENO / KEROSENE / KÉROSÈNE	✓
ALCALINOS Y CETONAS ALKALINES & KETONES Alcalins et Cétones	ACETONA / ACETONE / ACÉTONE	✗
	AMONIACO / AMMONIA / AMMONIAQUE	▲
	HIDRÓXIDO DE SODIO / SODIUM HYDROXIDE / HYDROXYDE DE SODIUM	✗
	HIDRÓXIDO DE POTASIO / POTASSIUM HYDROXIDE / HYDROXYDE DE POTASSIUM	✗
	HIPLOCLORITO DE SODIO / SODIUM HYPOCHLORITE / HYPOCHLORITE DE SODIUM	▲


✓ **RECOMENDADO**
RECOMMENDED/RECOMMANDÉ

▲ **LIMITADO**
LIMITED/LIMITÉ

✗ **PROHIBIDO**
FORBIDDEN/NON VALABLE

Compatible accessories

Ref. 9103 Lanza telescópica 5 m - 14,4
Telescopic lance / Lance telescopique



89⁰⁰€

Ref. 19097

1 u / pack

Kit boquillas conexión rápida

Quick-connect nozzle
Buse à connexion rapide

12⁰⁰€



Ref. 19095

Adaptador regulable 180° / QUICK-CONNECT

180° Adjustable Adapter / 5 positions
Adaptateur orientable à 180° / 5 positions

Copiable con / Compatible with / Compatible avec:
Lanza de 5 m / 5 m lance / Lance de 5 m
INDUSTRIAL 15 / INDUSTRIAL 35



10⁵⁰€



Ref. 19098

Adaptador boquillas QUICK-CONNECT
Nozzle Adapter / Adaptateur pour buses

3⁵⁰€



Copiable con / Compatible with / Compatible avec:

Ref. 19095

Adaptador regulable 180°
180° adjustable adapter
Adaptateur orientable à 180°

Ref. 9103

Lanza de 5 m
5 m lance
Lance de 5 m

Ref. 19197

Kit boquillas conexión rápida
Quick-connect nozzle kit
Buse à connexion rapide kit

Ref. 13943

Batería 18 V
Battery / Batterie

Compatible con / with / avec:

Pulmic Pegasus 15 / 35
Pulmic Industrial 15 / 35
Pulmic Animal Power 15



Ref. 13980

Cargador
Charger / Chargeur

Ref. 17024

Manguera de 10 m
10 m hose / Tuyau de 10 m



PULMIC INDUSTRIAL 35

EC Declaration

3-year manufacturing warranty



Packaging and dimensions

Gross Unit Weight	12.66kg 10.49 kg 1
Net unit weight	46.5 x 36 x 78.5 cm
Packaging unit	Not applicable Not
Unit packaging dimensions	applicable
Units in the secondary box	
Secondary box dimensions	

Logistics data

Packaging units per ^m 3	7	Units per pallet (American)	15 units
Units per 20" container	210 units	Units per pallet (European)	10 units
40" container units	420 units		
40" HQ container units	490 units		